

sahp
Schweizerische Ärztesgesellschaft
für
Homöopathie

Arbeitsheft
ZU
C. M. Bogers
„Boenninghausens Repertory“

Dr. Peter Minder, CH-4102 Benningen

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante A: Repertoriumsbeginn Seite 1

| | | | |
|---------------|-----|-------------------------|-----|
| MIND | 1 | EARS | 158 |
| Time | 32 | Hearing | 168 |
| Agg. | 33 | Time | 171 |
| Amel. | 39 | Agg. | 172 |
| Conc. | 39 | Amel. | 174 |
| Cross. Ref. | 40 | | |
| SENSORIUM | 46 | NOSE | 175 |
| Agg. & Amel. | 48 | Smell | 189 |
| | | Time | 190 |
| VERTIGO | 49 | Agg. | 191 |
| Time | 51 | Amel. | 192 |
| Agg. | 52 | | |
| Amel. | 56 | CORYZA | 192 |
| Conc. | 57 | Time | 195 |
| Cross Ref. | 60 | Agg. | 196 |
| | | Amel. | 197 |
| HEAD INTERNAL | 60 | Conc. | 197 |
| Time | 90 | | |
| Agg. | 91 | FACE | 200 |
| Amel. | 102 | Lips | 214 |
| Cross Ref. | 106 | Lower Jaw & Max. Joints | 220 |
| | | Chin | 222 |
| HEAD EXTERNAL | 107 | Time | 223 |
| Time | 117 | Agg. | 224 |
| Agg. | 117 | Amel. | 226 |
| Amel. | 118 | | |
| Cross Ref. | 119 | TEETH | 226 |
| | | Gums | 239 |
| EYES | 119 | Time | 243 |
| Cross Ref. | 130 | Agg. | 243 |
| Eyebrows | 130 | Amel. | 247 |
| Cross Ref. | 131 | Conc. | 249 |
| Orbits | 131 | | |
| Cross Ref. | 132 | MOUTH | 251 |
| Eyelids | 132 | Palate | 255 |
| Cross Ref. | 140 | Throat | 258 |
| Canthi | 140 | Saliva | 268 |
| Time | 144 | Tongue | 272 |
| Agg. | 144 | Time | 279 |
| Amel. | 148 | Agg. | 279 |
| Vision | 148 | Amel. | 282 |
| Time | 155 | | |
| Agg. | 156 | APPETITE | 282 |
| Amel. | 158 | Time | 290 |
| | | | |
| | | THIRST | 290 |
| | | Time | 292 |

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante A: Repertoriumsbeginn Seite 1

| | | | |
|------------------------|-----|---------------------------|-----|
| TASTE | 292 | INGUINAL & PUBIC REGION | 382 |
| Time | 299 | Agg. | 385 |
| Agg. | 299 | Cross Ref. | 385 |
| Amel. | 300 | Mons Pubis | 385 |
| ERUCTATION | 300 | FLATULENCE | 386 |
| Time | 303 | Time | 389 |
| Agg. | 303 | Agg. | 390 |
| Amel | 305 | Amel | 391 |
| WATERBRASH & HEARTBURN | 305 | Cross Ref. | 391 |
| Time | 307 | STOOL | 392 |
| Agg. | 307 | Conc. Before Stool | 403 |
| HICCOUGH | 308 | Conc. During Stool | 405 |
| Time | 309 | Conc. After Stool | 409 |
| Agg. | 309 | Time | 413 |
| Amel. | 309 | Agg. & Amel. | 413 |
| NAUSEA & VOMITING | 310 | Cross Ref. | 417 |
| Time | 316 | ANUS & RECTUM | 419 |
| Agg. | 316 | Conditions | 425 |
| Amel. | 320 | Cross Ref. | 427 |
| Conc. | 321 | PERINEUM | 427 |
| Cross Ref. | 323 | Conditions | 428 |
| STOMACH | 324 | Cross Ref. | 428 |
| Epigastrium | 332 | PROSTATE GLAND | 429 |
| Time | 336 | URINE | 429 |
| Agg. | 336 | Sediment | 433 |
| Amel. | 340 | Micturition | 435 |
| Conc. | 342 | Before Urination | 440 |
| Cross Ref. | 343 | At Beginning of Urination | 440 |
| HYPOCHONDRIA | 343 | During Urination | 441 |
| Time | 350 | At Close of Urination | 443 |
| Agg. | 350 | After Urination | 443 |
| Amel. | 352 | Conditions of Urination | 445 |
| Cross Ref. | 353 | Cross Ref. | 446 |
| ABDOMEN | 353 | URINARY ORGANS | 447 |
| Time | 369 | Kidney | 447 |
| Agg. | 370 | Ureters | 449 |
| Amel. | 375 | Bladder | 449 |
| Cross Ref. | 377 | Urethra | 451 |
| EXTERNAL ABDOMEN | 379 | Meatus | 454 |
| Agg. / Cross Ref. | 381 | Conditions | 454 |

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante A: Repertoriumsbeginn Seite 1

| | | | |
|--------------------------|-----|---------------------------|-----|
| GENITALIA | 455 | VOICE & SPEECH | 548 |
| Male Organs | 456 | Time | 551 |
| Penis | 458 | Conditions of Voice | 552 |
| Glans | 459 | NECK & EXTERNAL THROAT | 553 |
| Prepuce | 461 | Nape | 558 |
| Spermatic Cord | 462 | Time | 561 |
| Testes | 463 | Agg. | 561 |
| Scrotum | 465 | Amel. | 563 |
| Female Organs | 466 | CHEST | 563 |
| Time | 474 | Inner | 563 |
| Conditions | 475 | External | 574 |
| Cross Ref. | 477 | Axillae | 577 |
| SEXUAL IMPULSE | 479 | Mammae | 579 |
| Conc. Of Coition | 483 | Nipples | 581 |
| Conc. After Coition | 483 | Heart & Region of | 583 |
| Conc. After Pollutions | 484 | Time | 587 |
| Cross Ref. | 484 | Agg. | 588 |
| MENSTRUATION | 485 | Amel. | 593 |
| Conc. Before Menses | 488 | BACK | 594 |
| Conc. At Start of Menses | 491 | Scapular Region | 594 |
| Conc. during Menses | 492 | Dorsal Region | 598 |
| Conc. After Menses | 496 | Lumbar Region | 603 |
| Leucorrhoea | 497 | Sacrum & Coccyx | 607 |
| Conc. | 499 | Spinal Column & Vertebrae | 609 |
| Cross Ref. | 500 | Time | 610 |
| RESPIRATION | 500 | Agg. | 611 |
| Impeded by | 505 | Amel. | 614 |
| Time | 508 | UPPER EXTREMITIES | 615 |
| Agg. | 509 | Time | 647 |
| Amel. | 514 | Agg. | 648 |
| Conc. | 515 | Amel. | 651 |
| COUGH | 515 | LOWER EXTREMITIES | 652 |
| Time | 515 | Time | 648 |
| Excited or Agg. By | 519 | Agg. | 685 |
| Amel. | 529 | Amel. | 690 |
| Conc. | 530 | SENSATIONS & COMPLAINTS | |
| Expectoration | 537 | IN GENERAL | 691 |
| Taste of | 541 | GLANDS | 747 |
| Odor of | 543 | BONES | 750 |
| LARYNX & TRACHEA | 544 | | |
| Agg. | 548 | | |

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante A: Repertoriumsbeginn Seite 1

| | | | |
|---------------------------|-----|-------------------------|-----|
| SKIN & EXTERIOR BODY | 754 | HEAT & FEVER IN GENERAL | 857 |
| Agg. | 790 | Partial Heat | 859 |
| Time | 790 | Time | 869 |
| SLEEP | 790 | Agg. | 870 |
| Yawning | 790 | Amel. | 872 |
| Falling Asleep | 791 | Conc. | 873 |
| Sleepiness | 794 | SWEAT | 886 |
| Character of Sleep | 796 | Partial Sweat | 889 |
| During Sleep | 798 | Time | 893 |
| Positions during Sleep | 801 | Agg. | 894 |
| Waking | 801 | Amel. | 897 |
| Sleeplessness | 804 | Conc. | 898 |
| DREAMS | 807 | COMPOUND FEVER | 909 |
| Agg. | 812 | Beginning with: | |
| FEVER | 812 | Chill | 909 |
| Pathological Types | 812 | Shivering | 911 |
| BLOOD | 815 | Heat | 911 |
| CIRCULATION | 816 | Sweat | 912 |
| Congestions | 816 | CONDITIONS IN GENERAL | 913 |
| Palpitation | 820 | Time | 913 |
| Time | 822 | Agg. & Amel.. | 915 |
| Heart Beat | 823 | CONCORDANCES | 964 |
| Pulse | 824 | | |
| Time | 827 | | |
| Agg. (& Amel.) | 827 | | |
| FEVER | 830 | | |
| Chill | 830 | | |
| Partial Chill | 832 | | |
| Coldness | 834 | | |
| Partial Coldness | 835 | | |
| Sense of Partial Coldness | 837 | | |
| Shivering | 840 | | |
| Time | 841 | | |
| Agg. | 843 | | |
| Amel. | 846 | | |
| Conc. | 846 | | |

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante B: Repertoriumsbeginn Seite 191

| | | | |
|---------------|-----|-------------------------|-----|
| MIND | 191 | EARS | 348 |
| Time | 222 | Hearing | 358 |
| Agg. | 223 | Time | 361 |
| Amel. | 229 | Agg. | 362 |
| Conc. | 229 | Amel. | 364 |
| Cross. Ref. | 230 | | |
| SENSORIUM | 236 | NOSE | 365 |
| Agg. & Amel. | 238 | Smell | 379 |
| | | Time | 380 |
| VERTIGO | 239 | Agg. | 381 |
| Time | 241 | Amel. | 382 |
| Agg. | 242 | CORYZA | 382 |
| Amel. | 246 | Time | 385 |
| Conc. | 247 | Agg. | 386 |
| Cross Ref. | 250 | Amel. | 387 |
| | | Conc. | 387 |
| HEAD INTERNAL | 250 | FACE | 390 |
| Time | 280 | Lips | 404 |
| Agg. | 281 | Lower Jaw & Max. Joints | 410 |
| Amel. | 292 | Chin | 412 |
| Cross Ref. | 296 | Time | 413 |
| HEAD EXTERNAL | 297 | Agg. | 414 |
| Time | 307 | Amel. | 416 |
| Agg. | 307 | TEETH | 416 |
| Amel. | 308 | Gums | 429 |
| Cross Ref. | 309 | Time | 433 |
| EYES | 309 | Agg. | 433 |
| Cross Ref. | 320 | Amel. | 437 |
| Eyebrows | 320 | Conc. | 439 |
| Cross Ref. | 321 | MOUTH | 441 |
| Orbits | 321 | Palate | 445 |
| Cross Ref. | 322 | Throat | 448 |
| Eyelids | 322 | Saliva | 458 |
| Cross Ref. | 330 | Tongue | 462 |
| Canthi | 330 | Time | 469 |
| Time | 334 | Agg. | 469 |
| Agg. | 334 | Amel. | 472 |
| Amel. | 338 | APPETITE | 472 |
| Vision | 338 | Time | 480 |
| Time | 345 | THIRST | 480 |
| Agg. | 346 | Time | 482 |
| Amel. | 348 | | |

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante B: Repertoriumsbeginn Seite 191

| | | | |
|------------------------|-----|---------------------------|-----|
| TASTE | 482 | INGUINAL & PUBIC REGION | 572 |
| Time | 489 | Agg. | 575 |
| Agg. | 489 | Cross Ref. | 575 |
| Amel. | 490 | Mons Pubis | 575 |
| ERUCTATION | 490 | FLATULENCE | 576 |
| Time | 493 | Time | 579 |
| Agg. | 493 | Agg. | 580 |
| Amel | 495 | Amel | 581 |
| WATERBRASH & HEARTBURN | 495 | Cross Ref. | 581 |
| Time | 497 | STOOL | 582 |
| Agg. | 497 | Conc. Before Stool | 593 |
| HICCOUGH | 498 | Conc. During Stool | 595 |
| Time | 499 | Conc. After Stool | 599 |
| Agg. | 499 | Time | 603 |
| Amel. | 499 | Agg. & Amel. | 603 |
| NAUSEA & VOMITING | 500 | Cross Ref. | 607 |
| Time | 506 | ANUS & RECTUM | 609 |
| Agg. | 506 | Conditions | 615 |
| Amel. | 510 | Cross Ref. | 617 |
| Conc. | 511 | PERINEUM | 617 |
| Cross Ref. | 513 | Conditions | 618 |
| STOMACH | 514 | Cross Ref. | 618 |
| Epigastrium | 522 | PROSTATE GLAND | 619 |
| Time | 526 | URINE | 619 |
| Agg. | 526 | Sediment | 623 |
| Amel. | 530 | Micturition | 625 |
| Conc. | 532 | Before Urination | 630 |
| Cross Ref. | 533 | At Beginning of Urination | 630 |
| HYPOCHONDRIA | 533 | During Urination | 631 |
| Time | 540 | At Close of Urination | 633 |
| Agg. | 540 | After Urination | 633 |
| Amel. | 542 | Conditions of Urination | 635 |
| Cross Ref. | 543 | Cross Ref. | 636 |
| ABDOMEN | 543 | URINARY ORGANS | 637 |
| Time | 559 | Kidney | 637 |
| Agg. | 560 | Ureters | 639 |
| Amel. | 565 | Bladder | 639 |
| Cross Ref. | 567 | Urethra | 641 |
| EXTERNAL ABDOMEN | 569 | Meatus | 644 |
| Agg. / Cross Ref | 571 | Conditions | 644 |

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante B: Repertoriumsbeginn Seite 191

| | | | |
|--------------------------|-----|---------------------------|-----|
| GENITALIA | 645 | VOICE & SPEECH | 738 |
| Male Organs | 646 | Time | 741 |
| Penis | 648 | Conditions of Voice | 742 |
| Glans | 649 | NECK & EXTERNAL THROAT | 743 |
| Prepuce | 651 | Nape | 748 |
| Spermatic Cord | 652 | Time | 751 |
| Testes | 653 | Agg. | 751 |
| Scrotum | 655 | Amel. | 753 |
| Female Organs | 656 | CHEST | 753 |
| Time | 664 | Inner | 753 |
| Conditions | 665 | External | 764 |
| Cross Ref. | 667 | Axillae | 767 |
| SEXUAL IMPULSE | 669 | Mammae | 769 |
| Conc. Of Coition | 673 | Nipples | 771 |
| Conc. After Coition | 673 | Heart & Region of | 773 |
| Conc. After Pollutions | 674 | Time | 777 |
| Cross Ref. | 674 | Agg. | 778 |
| MENSTRUATION | 675 | Amel. | 783 |
| Conc. Before Menses | 678 | BACK | 784 |
| Conc. At Start of Menses | 681 | Scapular Region | 784 |
| Conc. during Menses | 682 | Dorsal Region | 788 |
| Conc. After Menses | 686 | Lumbar Region | 793 |
| Leucorrhoea | 687 | Sacrum & Coccyx | 797 |
| Conc. | 689 | Spinal Column & Vertebrae | 799 |
| Cross Ref. | 690 | Time | 800 |
| RESPIRATION | 690 | Agg. | 801 |
| Impeded by | 695 | Amel. | 804 |
| Time | 698 | UPPER EXTREMITIES | 805 |
| Agg. | 699 | Time | 837 |
| Amel. | 704 | Agg. | 838 |
| Conc. | 705 | Amel. | 841 |
| COUGH | 705 | LOWER EXTREMITIES | 842 |
| Time | 705 | Time | 878 |
| Excited or Agg. By | 709 | Agg. | 875 |
| Amel. | 719 | Amel. | 880 |
| Conc. | 720 | SENSATIONS & COMPLAINTS | |
| Expectoration | 727 | IN GENERAL | 881 |
| Taste of | 731 | GLANDS | 937 |
| Odor of | 733 | BONES | 940 |
| LARYNX & TRACHEA | 734 | | |
| Agg. | 738 | | |

BOGER / BÖNNINGHAUSEN REPERTORIUM – INHALTSVERZEICHNIS

Variante B: Repertoriumsbeginn Seite 191

| | | | |
|---------------------------|------|-------------------------|------|
| SKIN & EXTERIOR BODY | 944 | HEAT & FEVER IN GENERAL | 1047 |
| Agg. | 980 | Partial Heat | 1049 |
| Time | 980 | Time | 1059 |
| | | Agg. | 1060 |
| SLEEP | 980 | Amel. | 1062 |
| Yawning | 980 | Conc. | 1063 |
| Falling Asleep | 981 | | |
| Sleepiness | 984 | SWEAT | 1076 |
| Character of Sleep | 986 | Partial Sweat | 1079 |
| During Sleep | 988 | Time | 1083 |
| Positions during Sleep | 991 | Agg. | 1084 |
| Waking | 991 | Amel. | 1087 |
| Sleeplessness | 994 | Conc. | 1088 |
| | | | |
| DREAMS | 997 | COMPOUND FEVER | 1099 |
| Agg. | 1002 | Beginning with: | |
| | | Chill | 1099 |
| FEVER | 1002 | Shivering | 1101 |
| Pathological Types | 1002 | Heat | 1101 |
| | | Sweat | 1102 |
| BLOOD | 1005 | | |
| | | CONDITIONS IN GENERAL | 1103 |
| CIRCULATION | 1006 | Time | 1103 |
| Congestions | 1006 | Agg. & Amel.. | 1105 |
| Palpitation | 1010 | | |
| Time | 1012 | CONCORDANCES | 1154 |
| Heart Beat | 1013 | | |
| Pulse | 1014 | | |
| Time | 1017 | | |
| Agg. (& Amel.) | 1017 | | |
| | | | |
| FEVER | 1020 | | |
| Chill | 1020 | | |
| Partial Chill | 1022 | | |
| Coldness | 1024 | | |
| Partial Coldness | 1025 | | |
| Sense of Partial Coldness | 1027 | | |
| Shivering | 1030 | | |
| Time | 1031 | | |
| Agg. | 1033 | | |
| Amel. | 1036 | | |
| Conc. | 1036 | | |

BBCR GRIFFREGISTER

| | | | | | |
|----------------------------|---------------------------|---------------------------|-----------------------------|--------------------------|---------------------------|
| MIND | VERTIGO | HEAD | EYES | EARS | NOSE |
| FACE | TEETH | MOUTH | STOMACH | ABDOMEN | STOOL |
| RECTUM | URINARY ORGANS | GENITALIA MALE | GENITALIA FEMALE | RESPIRA- TION | COUGH |
| EXPECTO- RATION | LARYNX | NECK | CHEST | BACK | EXTREMI- TIES |
| SENSA- TIONS | GLANDS | BONES | SKIN | SLEEP | FEVER |
| CIRCULA- TION | CHILL | HEAT | SWEAT | COMP. FEVER | GENERALI- TIES |

| | | | | | |
|--------------------------|--------------------------|----------------------------|-------------------------|-----------------------------|---------------------------|
| MIND AGG. | HEAD AGG. | VISION | SMELL | CORYZA | LIPS |
| GUMS | THROAT | SALIVA | TONGUE | APPETITE | THIRST |
| TASTE | ERUCTA- TIONS | HEART- BURN | HICCOUGH | NAUSEA VOMITING | STOMACH AGG. |
| HYPOCH- DRIUM | ABD. EXTERN | INGUINAL REGION | FLATU- LENCE | URINATION DURING | SEXUAL IMPULSE |
| MENSES | LEUCOR- RHOEA | VOICE | MAMMAE | HEART | LOWER EXTREM. |
| BLOOD | CONC. | INDEX | | | |

Mit dieser Auflistung kann ein Griffregister angelegt werden, indem man am rechten Aussenrand oben beginnend mit Mind, Vertigo, Head etc. bis Generalities Griffmarken anbringt.
Am Unterrand kann ein weiteres Griffregister angebracht werden, das ein rasches Aufschlagen von Unterabteilungen gestattet, und das Unterteilt ist in Mind-agg, Head-agg, Vision, etc.
Bei der Benutzung bedient man sich zuerst des Registers am rechten Rand, um das entsprechende Kapitel zu finden, und gegebenenfalls anschliessend des am Unterrand angebrachten, so wird ein rasches Arbeiten gewährleistet.

BBCR – Besondere Rubriken

| Deutsch | Englisch | Seite |
|---|---|--------------|
| Anlehnen gegen etwas > | Leaning against anything amel. | 1126 |
| Anwendungen, lokale agg., amel. | Pack cold etc.; wet applications | 1134, 1152 |
| Ärgerlich über Kleinigkeiten | Trifles vexed over | 220 |
| Arznei, reagiert nicht auf (Subrubriken) | Reaction want of | 916 |
| Aufliegen/nicht aufliegen < | Part on which he is lying/not lying < | 1130 |
| Augen halb geöffnet, während Schlaf | Sleep during, eyes half open | 988 |
| Augen, „schwimmen“, „stehen im Wasser“ | Tears owerflow of | 318/333 |
| Blähungen < nach dem Essen | Flatulence, eating after | 580 |
| Blutgefässe, erweitert, geschwollen am Kopf, Schläfen, Vorderkopf | Blood vessels distended, swelled on head, temples, forehead | 299/1006 |
| Boden, kalter und feuchter, liegen auf < | Lying on a moist ground or floor | 1130 |
| Boden, kalter, sitzen auf< | Sitting on a cold stone or ground | 1111 |
| Brüste | Mammae | 769 |
| Einschlafen verhindert durch Symptome | Symptoms which prevent sleeping | 982 |
| Einschlafen, verhindert durch (Wallungen etc.) | Sleep; Falling asleep, symptoms which prevent | 982 |
| Epistaxis> Kopfschmerz | Epistaxis, nose bleeding> | 293/294 |
| Essen kann nicht geschluckt werden | Food won't go down | 478 |
| Fallen, leichtes | Falling | 898 |
| Fehler im Sprechen/Schreiben | Mind; Mistakes speech/writing | 212 |
| Feuchter, kalter Boden, liegen auf < | Lying on a moist ground or floor | 1130 |
| Feuchtwarme Packungen >, < | Pack, hot, wet etc. | 1134 |
| Flachliegen | Lyining with head low agg. | 1130 |
| Flatulenz < nach dem Essen | Flatulence, eating after < | 580 |
| Gang | Gait | 855 |
| Gehen, muss, Impuls zu | Walk, must, impulse to | 934 |
| Geräusche im Kopf | Head internal noises | 267/265/272 |
| Geruch des Körpers übel (ohne Schweiss) | Odor of body, bad, offensiv | 911 |
| Haarausfall am ganzen Körper | Hair falling out entire body | 965 |
| Haarausfall Augenbrauen, Wimpern, Bart, etc. | Hair fallling out from | 302 |
| Haarausfall nach Geburt | Hair falling out after after parturition | 303 |
| Hals, äusserer | Neck and external throat | 743 |
| Hals, wie zusammengepresst | Throat, grasping at | 745 |

| | | |
|--|---|----------------|
| Harnabgang unwillkürlich | Urin micturation involuntary | 627 |
| Herzklopfen im Hals | Throat, ascending to | 776 |
| Hustenanfälle (Subrubriken) | Cough, paroxysms | 706 |
| Intercostalraum | Between ribs | 755 |
| Kalter Stein oder Boden, sitzen auf < | Sitting on a cold stone or ground | 1111 |
| Katheter < | Catherisation agg | 1109 |
| Kindbett (Subrubriken) | Childbed | 658 |
| Kinder | Infants | 902-903 |
| Kinder, die spät Gehen lernen | Walk, children learn with difficulty/late | 221/903/934 |
| Kopf äusserer, Arterienanschwellung | Head external, arteries, swelled | 299/1006 |
| Kopf äusserer, Empfindlichkeit auf Berührung | Head external, sensitive to touch | 305 |
| Kopf tief < (flachliegen) | Lying with head low agg. | 1130 |
| Kopfschmerz täglich | Head internal, daily | 281 |
| Kopfschmerz, aufsteigend aus Nacken | Neck, pains ascending from | 266/749/751 |
| Labien | Labia | 660 |
| Lidschwellung halbseitig (r./l.) | Eyelids, swelling | 329 |
| Liegen, wie von falschem | Lying in false position, as from | 749/266 (head) |
| Linea nasalis | Linea nasalis | 398 |
| Lippenlecken | Face, lips; licking of | 407 |
| Mammae, Schwere | Mammae, heaviness | 769 |
| Menarche zu früh (frühreif) | Menses premature in adolescence | 676 |
| Mittagsschlaf verschlimmert | Sleep, afternoon, siesta < | 1142 |
| Mumps | Glands, parotid | 353, 391 |
| Mund (Blass um den Mund) | Pale mouth, around | 398 |
| Muttermilch (Subrubriken) | Milk | 770 |
| Nackenkopfschmerz | Neck, pains ascending from | 266/749/751 |
| Nackenschmerz abwärts ausstrahlend | Nape downward extending | 749 |
| Nasenbluten > Kopfschmerzen | Nose bleeding, epistaxis > | 293/294 |
| Nasenbluten in der Pubertät | Nose bleeding in puberty | 367 |
| Nasse Kleider, Gefühl von | Wet clothes, as of | 936 |
| Reagiert nicht auf das Mittel (Subrubriken) | Reaction want of | 916 |
| Richtungen von Beschwerden | Direction of pain | 892 |
| Röhmheld-Syndrom | Flatulence, pushing upward | 579 |
| Rückfälle | Recurring symptoms | 916 |
| Schlafen mit halbgeöffneten Augen | Eyes, half open | 988 |
| Schmerzen wandern | Wandering, changing about from | 934 |
| Schnupfen, unterdrückter (Subrubriken) | Coryza suppressed | 384 |
| Schnupfen, wiederkehrend | Coryza recurrent | 383 |
| Schwangerschaft (Subrubriken) | Preagnancy | 529/662 |
| Schwangerschaftserbrechen | Pregnancy during < | 529/662 |

| | | |
|---|---|-----------|
| Schweiss Oberlippe | Sweat, upper lip | 1081 |
| Seiten, auch abwechselnde, diagonal, etc. | Sides of body | 919 |
| Siesta <, Schlaf am Nachmittag < | < Sleep afternoon, siesta | 1142 |
| Sonnenbrand < | Sunburn agg | 1145 |
| Taubheit, katarrhalische | Deafness, catarrhal | 358 |
| Taubheit, nach unterdrückten Ausschlägen | Deafness, eruptions, suppressed, after | 358 |
| Taubheit, verstopfte | Deafness, congestive | 358 |
| Tonsillitis, rezidivierend | Chronic recurrent affections of | 450 |
| Überessen < | Overeating < | 528 |
| Übler Körpergeruch, ohne Schweiss | Odor of body, bad, | 911 |
| Ulcera bei ödematösen Patienten | Ulcers, dropsical patients | 971 |
| Unwillkürlicher Harnabgang, Husten, Niesen | Urine; Micturition involuntary, coughing, sneezing | 627 |
| Verlangen und Abneigungen | Appetite | 473-478 |
| Verschlimmerung durch Speisen | Agg. | 1119-1123 |
| Versprechen, Verschreiben | Mind mistakes, speech , writing | 212 |
| Wiederkehrende Symptome | Recurring symptoms | 916 |
| Wind, Gefühl wie angeweht werden | Wind blowing on parts as of | 936 |
| Zahnschmerz, < Kälte | Teeth, < cold | 434 |
| Zahnschmerz, < warmes | Teeth, < warm | 437 |
| Zahnschmerz, > kaltes | Teeth, > cold | 437 |
| Zahnschmerz, > warmes | Teeth, > warm | 438 |
| Zahnstein | Tartar on | 427 |

BBCR - Querverweise

| | | | |
|------------|-------------------------------------|-------------|--------------------------------------|
| 191 | MIND | | |
| | Anxiety | 200 | Fearsome |
| | | 882 | Anxious feeling internal |
| | Add: Anxiety in chest | 754 | |
| | Add: Anxiety in heart | 773 | |
| | Add: Anxiety in stomach | 514 | |
| | Add: Anxiety in abdomen | 545 | |
| | Add: Anxiety in epigastrium | 522 | |
| 196 | Consolation | 223 | Mind agg. (2x aufgeführt) |
| | | 1112 | Consolation agg. |
| | | 1142 | Spoken to kindly agg. |
| 198 | Despairing of recovery | 201 | Fear of being incurable |
| 201 | Fear of insanity | 208 | Insanity, fear of |
| | Held, wants to be | 901 | Held, desires to be |
| | | 1125 | Held, amel. by being |
| 204 | Hurry in eating | 478 | Eating , hasty |
| 210 | Looked at, averse | 907 | Looked at, averse |
| | | 1127 | Looked at, agg. |
| | Somnambulism | 990 | Somnambulism |
| 217 | Mistake of Speech | 249 | Speech, mistakes of |
| | Well feeling | 936 | Well feeling |
| 221 | Walk, learns to slowly | 903 | Walk, children learn with difficulty |
| | | 934 | Walk, children learn with difficulty |
| 224 | Dentition | 902 | Dentition agg. |
| | | 1113 | Dentition agg. |
| | Descending | 1113 | Descending agg. |
| | Emotions after | 1116 | Emotions |
| | Menses | 682 | Mind, during Menses |
| | | 686 | Mind, after Menses |
| 226 | Pregnancy | 662 | Pregnancy, mental affections |
| 227 | Suppressed | 1117 | Eruptions suppressed |
| | | 1145 | Suppression agg. |
| | Sunstroke | 275 | Sunstroke |
| | | | |
| 250 | HEAD INTERNAL | | |
| 254 | Chronic (aching) | 259 | Chronic headache |
| 258 | Catarrhal headache | 259 | Coryzal |
| | | 282 | Cold taking agg. |
| | | 388 | Coryza, head |
| 259 | Contracted and relaxed, alternately | 267 | Opening and shutting |
| | | 279 | Undulation, wavelike |
| | | 265 | Increasing and decreasing |
| | | 285 | Increasing and decreasing |
| | | 902 | Increasing and decreasing |
| | | 1145 | Increasing and decreasing (sun) |
| 264 | Heat of, with cold limbs | 1051 | Heat partial head, cold extr. |
| 281 | Periodically | 288 | Periodically agg. |
| | Alcoholic | 290 | Spirituos |
| | | 1119 | Alcoholic drinks |
| | | 1122 | Spirituos liquors |
| | | | |
| 297 | HEAD EXTERNAL | | |
| 306 | Sweat | 1080 | Sweat on head |

| | | | |
|-----|---|-------------|---------------------------|
| 309 | EYES | | |
| 313 | Foreign body | 315 | Foreign body |
| | | 317 | Sand |
| | | 317 | Splinter |
| 315 | Photophobia | 344 | Photophobia |
| | | 336 | Light agg. |
| | | 346 | Light agg. |
| | | 1127 | Light agg. |
| | Pterygium | 327 | Pterygium |
| 319 | Ulcer corneal | 311 | Corneal ulcer |
| | | | |
| 348 | EARS | | |
| | Add.: Otitis media | 353 | Inflammation |
| | | 355 | Drum perforated |
| 351 | Downward pains | 357 | Throat, extending to |
| 352 | Add: Drum perforation | 355 | |
| | | | |
| 358 | HEARING | | |
| 359 | Echoing of sound | 360 | Re-echoing |
| | | | |
| 365 | NOSE | | |
| 365 | Internal, posteriorly | 370 | Dripping |
| | | 452 | Posterior nares |
| 371 | Add: Discharges sweetish | 452 | Hawkin mucus sweet [*] |
| 380 | Weak smell | 389 | Smell, loss of |
| | | | |
| 382 | CORYZA | | |
| 384 | Stuffed, side on which he lies | 385 | Stopped, side lying |
| | Suppressed | 1112 | Suppressed agg |
| | | | |
| 390 | FACE | | |
| | Anaemic look | 1009 | Anaemia |
| | | 398 | Pale |
| | | 887 | Chlorosis |
| 391 | Add: Lower jaw | 410 | |
| 396 | Expression | 314 | Look, anxious |
| | | 391 | Aged |
| | | 398 | Pale |
| | | 401 | Sickly |
| | | 402 | Sunken |
| | | 403 | Wrinkled [*] |
| 397 | Add: Lock jaw | 410 | Cramps, trismus |
| | | | |
| 410 | LOWER JAW & MAXILLARY JOINTS | | |
| | Add: Upper jaw | 391 | |
| | Add: Maxillary joint | 391 | |
| 411 | Glands swelled (submaxillaries) | 745 | Glands, swelling |
| | | 413 | Swelling |
| | | | |
| 412 | CHIN | | |
| 413 | Swelling | 411 | Glands, swelling |
| | | | |
| 416 | TEETH | | |
| 417 | Eye teeth [*] | | |
| | Clenched [*] | 422 | Grinding [*] |
| | Extending to eyes | 439 | Extending to eyes |
| | | 421 | Extending to eyes (unten) |

| | | | |
|------------|---|-------------|---------------------------------|
| 422 | Extending to face | 439 | Face, concomitants |
| 441 | MOUTH | | |
| 442 | Dryness, thirst without | 406 | Dry, thirst without |
| | | 481 | Thirstlessness, dryness |
| 444 | Paralysis, organs of speech | 740 | Paralysis of vocal cord |
| | | 741 | Speech affected |
| | | | |
| 445 | PALATE | | |
| 448 | Uvula | 458 | Uvula |
| | | 446 | Uvula inflamed |
| | | 458 | Uvula elongated |
| | | 447 | Uvula swelled |
| | | | |
| 448 | THROAT AND GULLET | | |
| 449 | Abscess of tonsils | 453 | Tonsils inflamed |
| | | 457 | Tonsils enlarged |
| | | 938 | Glands inflammation |
| 450 | Chronic, recurrent affections | 455 | Sore throat chronic |
| | Foreign body | 452 | Globus |
| | | 454 | Plug |
| | | 453 | Lump |
| | | 734 | Ball |
| 452 | Hanging in | 455 | Throat, skin |
| | | 737 | Larynx, skin |
| | | 457 | Thread or hair [*] |
| 457 | Swallowing, strangles easy [*] | 737 | Swallowing, strangling easy [*] |
| 471 | Add: Saliva runs from mouth during sleep | 989 | |
| | Add: Swallowing empty agg. | 1145 | |
| | | | |
| 472 | APPETITE | | |
| 478 | Eating hasty | 204 | Eating in a hurry |
| 479 | Repugnance to drink [*] | 480 | Thirst with averse to drink |
| | | 474 | Averse drinks to |
| | Repugnance food odour [*] | 1134 | Odour of food |
| | Repugnance, sight of [*] | 508 | Food, sight of |
| | | | |
| 480 | THIRST | | |
| 480 | Dry mouth | 442 | Dry mouth with thirst |
| | | 406 | Dry lips with thirst |
| 481 | Dryness of lips | 406 | Dry lips with thirst |
| | | 442 | Dry mouth with thirst |
| | Dryness of mouth | 442 | Dry mouth without thirst |
| | Dryness of throat | 451 | Thirst, absence of |
| | | | |
| 482 | TASTE | | |
| | Add: During Coryza loss | 389 | |
| | | | |
| 500 | NAUSEA AND VOMITING | | |
| 504 | Palliative | 1149 | Amel. after |
| 507 | Driving | 509 | Riding |
| 509 | Pregnancy | 529 | Stomach, pregnancy agg. |
| | | 662 | Pregnancy, nausea and vomiting |
| | | 1135 | Pregnancy agg. |
| | | | |
| 514 | STOMACH | | |
| 514 | Add: Epigastrium | 522 | |
| | Add: Duodenum | 544 | |
| 518 | Heaviness | 519 | Overloaded |

| | | | |
|-----|---|-------------|-------------------------|
| | | 519 | Pressure as of a stone |
| | | 524 | Pressure as of a stone |
| 522 | EPIGASTRIUM | | |
| 522 | Ball | 523 | Foreign body |
| | | 523 | Lump |
| | | | |
| 533 | HYPOCHONDRIA | | |
| | L: Liver region; S: Spleen or left; B: Both sides | | |
| | | | |
| 543 | ABDOMEN INTERNAL | | |
| | A: Abdomen in general; U: Upper abdomen;; N: Navicular (umbilical); S: Sides R/L; H: Hips and loins; M: Lower abdomen | | |
| 546 | Children in | 902 | Infants |
| | | 1110 | Children in agg. |
| 561 | Child-bed | 658 | Childbed |
| | | 563 | Parturients [*] |
| 563 | Pregnancy | 662 | Abdominal pain |
| | | 1135 | Pregnancy agg. |
| | | | |
| 582 | STOOL | | |
| 582 | Adhesive | 591 | Tenacious |
| | | 587 | Gummy |
| | | 591 | Stringy [*] |
| | | 590 | Shreddy [*] |
| | | 589 | Membraneous [*] |
| | Albuminous | 591 | Transparent |
| | Ashy | 587 | Gray |
| | | 583 | Clay [*] |
| | | 592 | Whitish |
| | | 588 | Light |
| | Bilious | 587 | Green |
| 583 | Changeable | 589 | Varying in colour |
| 604 | Children in | 903 | Diarrhoe |
| | | 605 | Nurselings |
| | | | |
| 609 | ANUS AND RECTUM | | |
| | A: Anus; R: Rectum | | |
| 611 | Fissure | 948 | Cracks |
| 614 | Prolapse | 596 | Prolapse |
| | | 598 | Rectum prolapse |
| | | | |
| 617 | PERINEUM | | |
| 619 | Prostate gland | 632 | Prostatic discharges |
| | | 638 | Prostate enlarged |
| | | 647 | Inflammation prostatic |
| | | 647 | Prostatic gland swollen |
| | | 619 | Prostatic gland |
| | | 937 | Glands |
| | | | |
| 619 | URINE | | |
| 620 | Incontinence | 627 | Involuntary |
| | | 726 | Urination |
| | | | |
| 623 | SEDIMENT | | |
| 624 | Add: Pyelitis | 624 | |

| | | | |
|-----|--------------------------------------|-------------|--------------------------------|
| | Add: Uric acid diathesis | 1148 | |
| 625 | MICTURITION | | |
| 627 | Coughing | 726 | Urination |
| | | | |
| 637 | URINARY ORGANS | | |
| 639 | Add: Uraemia | 934 | |
| | Add: Calculus | 640 | Stone |
| | | 638 | Calculi, Gravel |
| | | | |
| 645 | GENITALIA | | |
| 655 | Moisture on | 1081 | Scrotum |
| | | | |
| 656 | FEMALE ORGANS | | |
| 658 | Bleeding, pregnancy | 1135 | Pregnancy |
| | | 662 | Pregnancy |
| | | 675 | Pregnancy, menstruation during |
| 662 | Pregnancy | 1135 | Pregnancy agg., during |
| | Add: Bleeding | 658 | 675 |
| | Add: Cough | 715 | |
| | Abdominal pain | 563 | |
| | Constipation | 584 | |
| | Diarrhoe | 606 | |
| | Add: Digestion impeded [*] | 516 | 529 |
| | Mental affections | 226 | 662 |
| | Nausea and vomiting | 509 | |
| | Add: Toothache | 426 | |
| | Urinate, impulse to | 629 | |
| 669 | SEXUAL IMPULSE | | |
| | Sweat, followed by | 1085 | Coition, after |
| | | 1085 | Emissions after [*] |
| 673 | Add: Sexual desire suppressed | 1139 | |
| | | | |
| 675 | MENSTRUATION | | |
| 675 | Interrupted and reappears | 676 | Paroxysmal discharge |
| | | 686 | Menses recur. |
| | | | |
| 690 | RESPIRATION | | |
| | Add: Impeded by [*] | 695 | |
| | Add: Chocking [*] | 693 | Oppressed [*] |
| 703 | Walking rapidly | 1150 | Walking rapidly agg. |
| | Add: Walking rapidly amel. | 1150 | |
| | | | |
| 727 | EXPECTORATION | | |
| 737 | Skin in | 452 | Hanging in |
| | | 455 | Skin, hanging |
| | Spot in | 455 | Spot in a |
| | | | |
| 738 | VOICE AND SPEECH | | |
| | Add: Aphasia | 193 | |
| 740 | Add: Laryngeal effects | 470 | |
| 740 | Add: Paralysis of speech | 444 | |
| | | | |
| 743 | NECK AND EXTERNAL THROAT | | |
| | Add: Throat and Gullet | 448 | |
| 744 | Glands, cervical & submaxillary | 353 | Glands, auricular |
| | | 440 | Submaxillary swelled |
| | | 441 | Salivary |
| | | 389 | Submaxillary pain |

| | | | |
|-----|--|------------|------------------------------|
| | | 411 | Submaxillary swelled |
| | | 1067 | Submaxillary swollen |
| | | 1091 | Submaxillary swollen |
| | Goitre | 747 | Gland (goitre) |
| | Add: Stiffness with coryza | 388 | |
| 753 | CHEST | | |
| | Up: Upper part; Lo: Lower Part | | |
| | Add: Sternum | | 725, 751, 754, 759, 762 |
| | Add: Bronchiectasis | 760 | Secretions increased chronic |
| 756 | Add: Crepitation | 691 | |
| | Add: Painful respiration | 693 | |
| | | | |
| 769 | MAMMAE | | |
| 769 | Mammae | 937 | Glands |
| | Add: Atrophy | 937 | Flaccid (atrophied) [*] |
| | Dwindling [*] | 937 | Flaccid [*] |
| 770 | Milk diminished | 658 | Milk absent |
| | | | |
| 772 | HEART AND REGION OF | | |
| 772 | Add: Circulation | 1006 | |
| | Add: Palpitation | 1010 | |
| | Add: Pulse | 1014 | |
| | Add: Constipation with heart symptoms | 584 | |
| 784 | BACK | | |
| | V: Vertebrae; C: Coccyx | | |
| | | | |
| 805 | UPPER EXTREMITIES | | |
| | A: Fleшы parts of Arms; B: Bones; H: Hands; F: Fingers; J: Joints in general; J.E.: Elbow; J.Sh.: Shoulderjoint; J.F.: Fingerjoint; J.W.: Wristjoint; Sh: Shoulder; T: Thumb; O: Upper Arm; U: Forearm | | |
| 819 | Ganglion | 941 | Ganglion |
| | | | |
| 842 | LOWER EXTREMITIES | | |
| | M: Fleшы parts of limb; B: Bones; F: Foot; H: Hips, Loins; J: Joints in general; F.J.: Ankle joint; K: Knee, J.K.: Kneejoint; L: Leg; T: Toes; U: Tigh; TA: Tendo Achilles | | |
| 846 | Blood vessels swelled | 873 | Varicosities |
| | | 836 | Veins distended [*] |
| | | 1007 | Varicosis |
| 848 | Add: Burning, soles | 1058 | Uncovering amel. |
| | Callosities [*] | 947 | Corns [*] |
| | Add: Extended limbs | 907 | Limbs extended |
| | | 926 | Stretching |
| 855 | Add: To Gait [*] | | |
| | Add: Backward | 846, | 873, 884 impossible |
| | Add: Coordination affected | 890 | |
| | Knock knee [*] | 855 | |
| | Add: Lameness | 858, | 907, 1097 |
| | Add: Motion (difficult, involuntary) | 859 | |
| | Add: Mobility exaggerated | 908 | |
| | Add: Reeling | 240, | 249, 916 |
| | Add: Run, inclination to | 863 | |
| | Shuffling [*] | 864 | |
| | Add: Stepping high/ backward | 866 | |
| | Add: Swaying [*] | 241, | 290 |

| | | | |
|------------|---|-------------|-----------------------------------|
| 873 | Add: Walking in a hurry | 204 | |
| | On toes | 871 | |
| 881 | SENSATIONS AND COMPLAINTS IN GENERAL | | |
| 882 | Add: Air, hunger | 898 | Fanned |
| | Alternations, suppressions | 1145 | Suppressions agg. |
| | | 893 | Suppressed discharges |
| | | 227 | Suppressed agg. mind |
| | | 956 | Itch, suppressed |
| | | 1117 | Eruptions, suppressed |
| 884 | Bony people | 895 | Spare habit [*] |
| | Add: Bone pains | 942 | |
| 888 | Add: Constitution bony | 884 | |
| | | 895 | Spare, thin [*] |
| | Add: Scrofula | 918 | |
| | Add: Cancerous | 886 | |
| | Add: Sycosis | 1124 | Gonorrhoea |
| | Add: Tubercular | 889 | |
| | | 763 | |
| | | 558 | |
| 889 | Convalescence during | 1112 | Convalescence in |
| | Add: Dehydration | 528 | Loss of vital fluids |
| 892 | Crosswise | 920 | Diagonal |
| | Diagonal | 920 | Diagonal |
| | Emaciation | 908 | Marasmus |
| | | 479 | Hunger, ravenous, with emaciation |
| | Add: Of neck | 744 | Emaciation |
| | Add: Worms, with | 592 | |
| | Add: cancerous, cachexia | 886 | |
| 889 | Add: Ganglion | 941 | |
| | | 819 | |
| | | 978 | |
| | | 948 | Cysts |
| 902 | Infants | | |
| | Add: Abdomen large, enlarged | 550 | 552 |
| | Asphyxia neonatorum | 690 | 883 |
| | Constipation | 439 | 584 |
| | Dentition, complaints during | 1113 | |
| | Dentition, cough during | 711 | |
| | Dentition, diarrhoea during | 439 | 604 |
| 903 | Dentition, difficult | 420 | |
| | Dentition, fever during | 1002 | 1006 |
| | Add: Developpement, growth affected | 891 | 900 |
| | Add: to rapid, to slow | 900 | |
| | Diarrhoea | 604 | |
| | Add: Ears | 351 | 354, 356, 357 |
| | Add: Emaciation | 479 | 592, 744, 895, 908, 965 |
| | Excoriating [*] | 965 | Soreness [*] |
| | Eyes | 311 | 313, 319, 336 |
| | Add: Eating, desires | 475 | 476 |
| | Fever | 1060 | Dentition |
| | | 1005 | Worms |
| | Add: Glands: Submaxillary | 411 | |
| | Head enlarged | 265 | 300, 306, 1080 |
| | Head swelled | 306 | |
| | Hernia | 573 | |
| | Add: Injuries: Back | 801 | |
| | Add: Injuries: Head | 255 | 259, 303, 979 |

| | | | |
|-----|---|------|-------------------------------|
| | Add: Jaundice eyes | 319 | |
| | Add: Jaundice face | 404 | |
| | Add: Jaundice skin | 947 | |
| | Add: Lying on abdomen | 991 | |
| | Add: Lying on abdomen amel. | 556 | 1129 |
| | Add: Lying knee elbow | 556 | 1126, 1129, 1130 |
| | Miliaria [*] | 959 | 961 |
| | Add: Milk (mothers) averse | 474 | |
| | Add: Milk (mothers) agg. | 1121 | |
| | Add: Milk crust | 300 | 394, 398 |
| | Add: Mumps | 353 | |
| | Add: Naevus | 963 | |
| | Add: Nose boring | 368 | |
| | Add: Obesity | 911 | |
| | Respiratory | 700 | 758, 903 |
| | Add: Skin, soreness [*] | 965 | |
| | Add: Sleeplessness from excitement | 996 | |
| | Spasms | 921 | Fits |
| | Add: Stomach disorders | 527 | |
| | Add: Stool | 882 | 583, 586, 587, 589 - 592, 604 |
| | Add: Talk, slow learning | 210 | |
| | Add: Thirst / Thirstlessness | 481 | 482 |
| | Add: Urine, crying | 630 | 632 |
| | Walk, learning with difficulty | 221 | 873, 903, 934 |
| | Add: Worm fever | 1005 | |
| 904 | Influenza | 1002 | Fevers |
| 911 | Add: Oedema | 894 | Dropsy [*] |
| | Add: Pains – sensations | | 884, 933 |
| 912 | Paralytic or laming pain in joints | 929 | Paralytic in joints |
| 913 | Add: Phlegmasia | 868 | 968 |
| | Radiating pains | 272 | Head |
| | | 399 | Face |
| | | 425 | Teeth |
| | | 520 | Stomach |
| | | 524 | Epigastrium |
| | | 538 | Hypochondria |
| | | 555 | Abdomen |
| | | 775 | Chest |
| | | 795 | Back |
| | | 799 | Spinal column |
| | | 862 | Lower extremities |
| | Reaction, want of, medicine to | 908 | Medicine wanting |
| | Recurring | 887 | Chronic |
| 936 | Add: Weakness with vomiting | 505 | 513 |
| 937 | GLANDS | | |
| | Axillary | 767 | 809 |
| | Inguinal | 573 | |
| | Mammary | 769 | |
| | Prostate | 619 | |
| | Parotid | 353 | 391 |
| | Submaxillary | 389 | 411, 440, 744, 1091 |
| | Salivary | 441 | |
| | Tonsils | 449 | |
| | Cervical | 452 | 457, 744 |
| | Thyroid | 712 | 744 (goitre), 747, 774 |
| | Testes | 653 | |

| | | | |
|-------------|---|-------------|--|
| 944 | SKIN AND EXTERIOR BODY | | |
| 949 | Add: Decubitus | 965 | Soreness, Bedsores [*] |
| 955 | Hair, falling | 299 | Baldness |
| | | 302 | Falling out from head |
| 956 | Add: Insect bite | 967 | Stings [*] |
| 980 | SLEEP | | |
| | Yawning 980, Falling asleep 981, Sleepiness 984, Character of sleep 986, During sleep 988, Positions 991, Waking 991, Sleeplessness 994, Dreams 997 | | |
| 988 | Eyes half open | 326 | Eyelids |
| | Add: Sweat, during | 1086 | |
| 1002 | FEVER | | |
| 1002 | Add: Hay fever | 382 | Coryza, annual hay fever |
| 1003 | Add: Influenza | 904 | |
| 1020 | CHILL | | |
| 1021 | Shivering | 1030 | Shivering |
| 1022 | Partial chill | | |
| 1024 | Coldness | | |
| 1025 | Partial Coldness | | |
| 1105 | CONDITIONS OF AGG. AND AMEL. | | |
| | Add: Application | 1134 | Pack |
| | | 1152 | Wet application agg. |
| | Awaking from siesta | 1142 | Afternoon siesta |
| 1114 | Eating | 527 | Eating |
| 1115 | Eating, long after | 528 | Several hours after |
| | Homesickness | 203 | Homesickness |
| 1117 | Mortification [Kränkung] | 212 | Mortification |
| 1118 | Females | 1153 | Women |
| 1125 | Head leaning on anything amel. | 1126 | Leaning against anything agg./amel. |
| | Looked at agg. | 907 | Looked at averse |
| | | 210 | Looked at averse |
| | Looking intently, fixedly agg. | 336 | Looking intently agg. |
| | | 346 | Looking a long time |
| | Side, pain goes to side on which he is not lying | 1136 | Pressure on opposite, painless side agg. |
| 1131 | Add: Massage, Rubbing agg./amel. | 1139 | |
| 1132 | Menses, at start of | 681 | Conc. at start of menses |
| | Add: Menopause | 1110 | Climacteric |
| 1135 | Pregnancy | 662 | Pregnancy, various symptoms |
| | | 226 | Pregnancy agg. Mind |
| | | 658 | Pregnancy during |
| | | 509 | Pregnancy during agg. |
| | | 675 | Pregnancy, menses during |
| | | 563 | Pregnancy during |
| 1142 | Sleep, short amel. | 993 | Refreshed by even a short sleep |
| | Tobacco amel. | 1123 | Tobacco agg./amel |
| 1147 | Add: Touch, averse to | 931 | |
| 1151 | Add: Weaning [*]effects of | 771 | |